

# Electrical

## Product Catalog



**Innovative MRO Partner  
Customers Can Trust**

- NEMA Rated
- cUL or cETL Listed
- Field Tested and Approved

**2022**




9855 Mining Drive, Suite 202  
Jacksonville, FL 32257  
Phone: (904) 404-8977  
Toll Free: (844) 808-4435  
Fax: (904) 800-1494

AW/04/2022



# Table of Contents



<b>About Aida</b>	<b>5</b>
<b>Receptacles</b>	<b>6</b>
GFCI Receptacles	6
GFCI Receptacles Self Tested and Self Grounding	8
GFCI Receptacles with Night Light	9
USB Receptacles	10
High-Rated USB Receptacles	12
Residential Grade Receptacles	14
Commercial Grade Receptacles	16
10-Pack Receptacles	18
<b>Switches</b>	<b>20</b>
Decorative Switches	20
Toggle Switches	22
Combo Switches	24
<b>Portable GFCIs</b>	<b>26</b>
GFCI Plugs	26
GFCI Adapter Outlet	27
<b>Lighting Controls</b>	<b>28</b>
Dimmers	28
Sensors	31
<b>Lampholders, Plug, Connector &amp; Adapters</b>	<b>32</b>
Adapters	32
Plug and Connector	32
Lampholders	33
<b>Wire Connectors</b>	<b>34</b>
Wire Nuts	34
Wing Wire Nuts	34
Push-In Wire Connectors	35
<b>Power Devices</b>	<b>36</b>
Flush Mount Receptacles	37
Surface Mount Receptacles	37
Angle Plugs	37
Travel Trailer Plugs	37
<b>Locking Devices</b>	<b>38</b>
Locking Plugs	39
Locking Connectors	39
Locking Receptacles	39
<b>Wall Plates</b>	<b>40</b>
Plastic Wall Plates	41
Plastic Screwless Wall Plate	43
Metal Wall Plates	46
Stainless Steel Wall Plates	48
<b>Notes</b>	<b>50</b>



**Aida<sup>®</sup>**

Aida<sup>®</sup> is the registered trademark of Aida Corporation



# About AIDA

Aida Corporation is a US based manufacturer of electrical wiring devices, plumbing supplies, hardware, and smart home devices to the North and Central America market. We operate on our promises of superior quality, innovation, competitive pricing and on-time delivery. We have strategic relationship with the oversea OEM manufacturers and through collaborative engineering and design effort, accelerating our growth and development as a manufacturer.

Our products ride on the 30+ year experience of our strategic partners supplying US and global markets. We began operations with our headquarters in Jacksonville, FL and our first distribution warehouse. We share the same product design and manufacturing knowledge and skills with other well-established brands in US through OEM manufacturing. Aida's products are manufactured with precision engineering and quality control that meet all relevant US and international standards.

Aida focuses on providing our customers with the electrical, plumbing, hardware and smart home products they want and when they need them. Aida is committed to build our reputable brand with what we do best – manufacture quality products, support and protect our customer with their business relationships, supply our customers with extensive inventory, and to provide them with friendly service and powerful solutions.



# GFCI Receptacles

## Tamper-Resistant and Weather-Resistant Self-Test and Self Grounding GFCI Receptacle

A Ground Fault Circuit Interrupter receptacle (or GFCI) is different from convention receptacles. In the event of a ground fault, a GFCI will trip and quickly stop the flow of electricity to prevent serious injury. The standards for these safety products are set forth by Underwriters Laboratory (UL) in UL 943 (GFCI) and UL 498 (Receptacles).

The Aida Self-Test GFCIs contain the latest innovation in ground fault protection by automatically conducting a periodic internal test to confirm that the GFCI is able to respond to a ground fault. These GFCIs are available in Tamper-Resistant and Weather-Resistant versions.

### Features and Benefits

#### Standard (Self-Test)

- UL and cUL Listed, fully compliant with all latest UL 943 Class A GFCI
- When downstream receptacles are wired from load side, a 15A/20A feed through rating offers full protection
- Trip threshold (5mA+/-1mA) and response time (0.025 sec.) meet Class A requirements
- Terminals allow for easy wiring options - back and side wire capable
- Color-matched and recessed Test & Reset buttons provide uniform appearance
- Durable chemical and impact-resistant thermoplastic construction
- Status Indicator Light provides intuitive feedback on power and protection status as well as indication of line/load reversal
- Matching thermoplastic wall plate included
- Limited 2-year warranty

#### Tamper-Resistant

- TR symbol assures compliance with the National Electrical Code (NEC)
- Shutter mechanism inside the receptacle blocks access to the contacts unless a two-prong or three-prong plug is inserted

#### Testing Compliance

- Meets all UL 943 (GFCI) and UL 498 (Receptacles) requirements and applicable CSA requirements


#### Material Characteristics

- Meets flammability requirements per UL94, V2 rated
- Temperature Rating: -35°C to 66°C

All GFCI receptacles are offered in the following colors:

	White
	Ivory
	Light Almond
	Black





**GFCI Receptacles**

GFCI Receptacles	Category	Self-Test 15 Amp Duplex GFCI Receptacle with LED Light	NEMA	Rating	Part #	Color
	15A GFCI Receptacle	Standard	5-15R 	Receptacle: 15A, 120V Feed Through: 20A, 120V	010011	White
					010012	Ivory
					010014	Light Almond
		Tamper Resistant			010031	White
					010032	Ivory
					010034	Light Almond
					010036	Black
					010037	Brown
					010038	Gray
	Tamper Resistant & Weather Resistant			010041	White	
				010042	Ivory	
				010044	Light Almond	
				010046	Black	
				010047	Brown	
				010048	Gray	
Category	Self-Test 20 Amp Duplex GFCI Receptacle with LED Light	NEMA	Rating	Part #	Color	
20A GFCI Receptacle	Standard	5-20R 	Receptacle: 20A, 120V Feed Through: 20A, 120V	010051	White	
				010052	Ivory	
				010054	Light Almond	
	Tamper Resistant			010071	White	
				010072	Ivory	
				010074	Light Almond	
				010076	Black	
				010077	Brown	
				010078	Gray	
	Tamper Resistant & Weather Resistant			010081	White	
				010082	Ivory	
				010084	Light Almond	
				010086	Black	
				010087	Brown	
				010088	Gray	
Category	Blank Face GFCI with LED Light	NEMA	Rating	Part #	Color	
Blank Face GFCI	Standard	N/A	Feed Through: 20A, 120V	010091	White	
				010092	Ivory	
				010094	Light Almond	
				010096	Black	
	Weather Resistant			010101	White	
				010102	Ivory	
				010104	Light Almond	
				010106	Black	



# GFCI Receptacles

## Self Tested and Self Grounding



Part# 010125



Part# 010159



Part# 010165

### GFCI Self-Test and Self Grounding Tamper-Resistant


Category	Self-Test and Self Grounding Tamper-Resistant	NEMA	Rating	Part #	Color
15A GFCI Receptacle	Tamper-Resistant 15 Amp Duplex GFCI Receptacle with LED Light	5-15R	15A, 120V	010125	White
	Tamper Resistant 15 Amp Duplex GFCI Receptacle with LED Light			010129	Ivory
	Tamper Resistant & Weather Registrant 15 Amp Duplex GFCI Receptacle with LED Light			010135	White
20A GFCI Receptacle	Tamper Resistant 20 Amp Duplex GFCI Receptacle with LED Light	5-20R	20A, 120V	010155	White
	Tamper Resistant 20 Amp Duplex GFCI Receptacle with LED Light			010159	Ivory
	Tamper Resistant & Weather Registrant Duplex GFCI Receptacle with LED Light			010165	White



# GFCI Receptacles

## GFCI with Night Light

There's a photosensitive hole to sensor the ambient lighting. The sensor hole provides automatic ON/OFF based on ambient lighting. When the ambient lighting is low, the night light will be ON. When the ambient lighting is enough, the night light will be OFF.



### GFCI Receptacles with Night Light

GFCI Receptacles with Night Light	Category	Self-Test 15 Amp Duplex GFCI Receptacle with Night Light	NEMA	Rating	Part #	Color	
	15A GFCI Receptacle with Night Light	Standard	5-15R		Receptacle: 15A, 120V Feed Through: 20A, 120V	010241	White
						010242	Ivory
						010244	Light Almond
	Tamper Resistant				010246	Black	
	Tamper Resistant & Weather Resistant				010251	White	
					010252	Ivory	
					010254	Light Almond	
					010256	Black	
					010261	White	
					010262	Ivory	
					010264	Light Almond	
					010266	Black	
Category	Self-Test 20 Amp Duplex GFCI Receptacle with Night Light	NEMA	Rating	Part #	Color		
20A GFCI Receptacle	Standard	5-20R		Receptacle: 20A, 120V Feed Through: 20A, 120V	010271	White	
					010272	Ivory	
					010274	Light Almond	
	Tamper Resistant				010276	Black	
	Tamper Resistant & Weather Resistant				010281	White	
					010282	Ivory	
					010284	Light Almond	
					010286	Black	
					010291	White	
					010292	Ivory	
					010294	Light Almond	
					010296	Black	



# USB Receptacles

The USB Charger Devices offers powerful charging capabilities to get your electronic devices up and running fast.



Part# 031031



Part# 031064



Part# 031016

## Features and Benefits

- The devices provide four 5V DC powered USB ports with a total of 3.0A/3.6A/4.0A charging current.
- Charge most compatible electrical device directly without an adapter.
- If the devices combined power requirements exceed the power capacity of the USB ports, the charger will shut down to protect your electrical devices.
- Compatible with USB 2.0/3.0 devices. The USB ports are used to charge portable electronic devices ONLY (NO data transfer capability).
- Back and side wire for easy installation.
- UL/CUL Listed. Fully comply with all latest UL 1310 requirements.
- Limited 2-year warranty



USB Receptacles are offered in the following colors:

-  White
-  Ivory
-  Light Almond
-  Black



## USB Receptacles


USB Receptacles	Category	3.0A USB Charger and Tamper Resistant Receptacle	NEMA	Rating	Part #	Color
	3.0A USB Receptacle	3.0 Amp Dual USB Charger, 15 Amp Duplex Tamper Resistant Receptacle	5-15R 	USB: 3.0A, 5V DC Receptacle: 15A, 120V	031031 031032 031034 031036	White Ivory Light Almond Black
		3.0 Amp Dual USB Charger, 20 Amp Duplex Tamper Resistant Receptacle	5-20R 	USB: 3.0A, 5V DC Receptacle: 20A, 120V	031041 031042 031044 031046	White Ivory Light Almond Black
	Category	3.6A USB Charger and Tamper Resistant Receptacle	NEMA	Rating	Part #	Color
	3.6A USB Receptacle	3.6 Amp Dual USB Charger, 15 Amp Duplex Tamper Resistant Receptacle	5-15R 	USB: 3.6A, 5V DC Receptacle: 15A, 120V	031001 031002 031004 031006	White Ivory Light Almond Black
		3.6 Amp Dual USB Charger, 20 Amp Duplex Tamper Resistant Receptacle	5-20R 	USB: 3.6A, 5V DC Receptacle: 20A, 120V	031011 031012 031014 031016	White Ivory Light Almond Black
	Category	4.0A 4 Ports USB Charger	NEMA	Rating	Part #	Color
	4.0A USB Charger	4.0 Amp 4 Ports USB Charger	N/A	USB: 4.0A, 5V DC Feed Through: 125V, 60Hz	031061 031062 031064 031066	White Ivory Light Almond Black





# High-Rated USB Receptacles

We built-in unique CC/CV modules and smart chips to automatically recognizes and optimizes the current and voltage during charging, so as to ensure constant and faster charging for different types of electronic devices. Backflow Protection prevents electric current flowing back from your devices to the power supply. As an addition we have added Overheating Protection. Heat-sensing system will automatically suspend charging when excessive heat is generated within the USB outlet, preventing the device from being damaged by overheating.



Part# 031071



Part# 031104



Part# 031112

## Features and Benefits

- **Smart Chip and Faster Charging**  
Built-in unique CC/CV modules and smart chips to automatically recognizes and optimizes the current and voltage during charging, so as to ensure constant and faster charging for different types of electronic devices.
- **Backflow Protection**  
Prevent electric current flowing back from your devices to the power supply.
- **Overheating Protection**  
Heat-sensing system will automatically suspend charging when excessive heat is generated within the USB outlet, preventing the device from being damaged by overheating.
- **Limited 2-year warranty**

USB Outlets are offered in the following colors:

-  White
-  Ivory
-  Light Almond
-  Black





USB Type A



USB Type C



- ▶ Overvoltage Protection
- ▶ Undervoltage Protection
- ▶ Overcurrent Protection
- ▶ Overload Protection
- ▶ Short Circuit Protection



### High-Rated USB Receptacles

	Category	USB Receptacles	NEMA	Rating	Part #	Color
USB Outlets	5.0 AMP USB Charger Type A+C	15 Amp Duplex Tamper Resistant Receptacle, Back Wire and Side Wire	5-15R 	15A, 125V	031071 031072 031074 031076	White Ivory Light Almond Black
	6.0 Amp USB Charger Dual Type A+C	15 Amp Duplex Tamper Resistant Receptacle, Back Wire and Side Wire	5-15R 	15A, 125V	031101 031102 031104 031106	White Ivory Light Almond Black
		20 Amp Duplex Tamper Resistant Receptacle, Back Wire and Side Wire	5-20R 	20A, 125 V	031091 031092 031094 031096	White Ivory Light Almond Black
	5.4 Amp USB Charger Dual Type A	15 Amp Duplex Tamper Resistant Receptacle, Back Wire and Side Wire	5-15R 	15A, 125V	031111 031112 031114 031116	White Ivory Light Almond Black



# Residential Grade Receptacles

Aida's comprehensive line of residential grade receptacles includes devices rated for all residential applications in a variety of standard configurations and colors.



Part# 030121



Part# 030282



Part# 030364

## Features and Benefits

- High-impact resistant thermoplastic construction
- Tamper-Resistant shutter system prevent improper insertion of foreign objects
- Package contains outlet with mounting screws attached
- Side wire and push wire terminations
- Accepts #14 wire for back push , or #12 wires for side installation
- For replacement of any household outlet
- Comply with UL 498, Meet NEMA WD-6 & 2008 NEC Code Requirements



Residential Grade Receptacles are offered in the following colors:

- White
- Ivory
- Light Almond
- Black

## Residential Receptacles

Category	Residential Grade Duplex Receptacle, 2-Pole 3-Wire Self-Grounding	NEMA	Rating	Part #	Color
15 Amp Residential Grade Duplex Receptacle	Standard, Side Wire & Push Wire	5-15R 	15A, 125V	In 10-Packs 030102 030104 030106	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Push Wire			In 10-Packs 030122 030124 030126	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Back Wire			030141 030142 030144 030146	White Ivory Light Almond Black
	Tamper Resistant & Weather Resistant, Side Wire & Back Wire			030151 030152 030154 030156	White Ivory Light Almond Black
20 Amp Residential Grade Duplex Receptacle	Standard, Side Wire	5-20R 	20A, 125V	In 10-Packs 030112 030114 030116	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Back Wire			In 10-Packs 030133 030132 030137	White Ivory Light Almond Black
	Tamper Resistant & Weather Resistant, Side Wire & Back Wire			030134 030135 030136 030138	White Ivory Light Almond Black
Category	Residential Grade Decorative Receptacle, 2-Pole 3-Wire Self-Grounding	NEMA	Rating	Part #	Color
15 Amp Residential Grade Decorative Receptacle	Standard, Side Wire & Push Wire	5-15R 	15A, 125V	In 10-Packs 030282 030284 030286	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Push Wire			In 10-Packs 030302 030304 030306	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Back Wire			030331 030332 030334 030336	White Ivory Light Almond Black
20 Amp Residential Grade Decorative Receptacle	Standard, Side Wire	5-20R 	20A, 125V	030291 030292 030294 030296	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Back Wire			In 10-Packs 030312 030314 030316	White Ivory Light Almond Black
Category	Residential Grade Single Receptacle, 2-Pole 3-Wire Self-Grounding	NEMA	Rating	Part #	Color
15 Amp Residential Grade Single Receptacle	Standard, Side Wire & Back Wire	5-15R 	15A, 125V	030351 030352 030354 030356	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Back Wire			030371 030372 030374 030376	White Ivory Light Almond Black
20 Amp Residential Grade Single Receptacle	Standard, Side Wire & Back Wire	5-20R 	20A, 125V	030361 030362 030364 030366	White Ivory Light Almond Black
	Tamper Resistant, Side Wire & Back Wire			030381 030382 030384 030386	White Ivory Light Almond Black

Receptacles



# Commercial Grade Receptacles

Aida offers a large selection of 15Amp and 20Amp commercial grade receptacles available in a wide variety of colors, wiring options and other features. Aida's commercial receptacles are manufactured to withstand the demands of commercial and institutional applications. These commercial receptacles provide long-lasting service life and are a cost-saving alternative to the industrial devices.



Part# 030401



Part# 030491

## Features and Benefits

- High-impact resistant thermoplastic construction
- Tamper-Resistant shutter system prevent improper insertion of foreign objects
- Package contains outlet with mounting screws attached
- Side wire and push wire terminations
- Accepts #14 wire for back push, or #12 wires for side installation
- For replacement of any household outlet
- Comply with UL 498, Meet NEMA WD-6 & 2008 NEC Code Requirements



Commercial Grade Receptacles are offered in the following colors:

	White
	Ivory
	Light Almond
	Black



## Commercial Receptacles

Receptacles	Category	Commercial Grade Duplex Receptacle, 2-Pole 3-Wire Self-Grounding	NEMA	Rating	Part #	Color
	15 Amp Commercial Grade Duplex Receptacle	Standard, Side Wire & Back Wire	 5-15R	15A, 125V	030401 030402 030404 030406	White Ivory Light Almond Black
		Tamper Resistant, Side Wire & Back Wire			030411 030412 030414 030416	White Ivory Light Almond Black
	20 Amp Commercial Grade Duplex Receptacle	Standard, Side Wire & Back Wire	 5-20R	20A, 125V	030441 030442 030444 030446	White Ivory Light Almond Black
		Tamper Resistant, Side Wire & Back Wire			030451 030452 030454 030456	White Ivory Light Almond Black
	Category	Commercial Grade Decorative Receptacle, 2-Pole 3-Wire Self-Grounding	NEMA	Rating	Part #	Color
	15 Amp Commercial Grade Decorative Receptacle	Standard, Side Wire & Back Wire	 5-15R	15A, 125V	030481 030482 030484 030486	White Ivory Light Almond Black
		Tamper Resistant, Side Wire & Back Wire			030491 030492 030494 030496	White Ivory Light Almond Black
	20 Amp Commercial Grade Decorative Receptacle	Standard, Side Wire & Back Wire	 5-20R	20A, 125V	030521 030522 030524 030526	White Ivory Light Almond Black
		Tamper Resistant, Side Wire & Back Wire			030531 030532 030534 030536	White Ivory Light Almond Black



# 10 Pack Receptacles

Aida offers a selection of 10 pack residential and commercial grade receptacles. Exclusively designed with the contractor in mind.



Part# 030541



Part# 030561



Part# 030601



Part# 030651



Part# 030621



Part# 030631



## 10 Pack Residential Receptacles

Residential Receptacles	Category	10 Pack Residential Receptacle	NEMA	Rating	Part #	Color	
	15 Amp Residential Grade Duplex Receptacle	Standard, Side Wire & Push Wire		5-15R	15A, 125V	030541	White
		Tamper Resistant, Side Wire & Push Wire				030561	White
	20 Amp Residential Grade Duplex Receptacle	Standard, Side Wire		5-20R	20A, 125V	030551	White
		Tamper Resistant, Side Wire & Back Wire				030571	White
	Category	10 Pack Residential Receptacle	NEMA	Rating	Part #	Color	
	15 Amp Residential Grade Decorative Receptacle	Standard, Side Wire & Push Wire		5-15R	15A, 125V	030581	White
		Tamper Resistant, Side Wire & Push Wire				030601	White
	20 Amp Residential Grade Decorative Receptacle	Standard, Side Wire		5-20R	20A, 125V	030591	White
		Tamper Resistant, Side Wire & Back Wire				030611	White
Category	10 Pack Residential Receptacle	NEMA	Rating	Part #	Color		
15 Amp Residential Grade Duplex Receptacle	Tamper Resistant & Weather Resistant, Side & Back Wire		5-15R	15A, 125V	030651	White	

## 10 Pack Commercial Receptacles

Commercial Receptacles	Category	10 Pack Commercial Receptacle	NEMA	Rating	Part #	Color	
	20 Amp Commercial Grade Duplex Receptacle	Tamper Resistant, Side Wire & Back Wire		5-20R	20A, 125V	030621	White
	Category	10 Pack Commercial Receptacle	NEMA	Rating	Part #	Color	
20 Amp Commercial Grade Decorative Receptacle	Tamper Resistant, Side Wire & Back Wire		5-20R	20A, 125V	030631	White	



# Decorative Switches


Features modern classic design and look, Aida decorative switches add so much at a modest cost that no fine home should be without them. Their sleek simplicity and smooth, quiet operation stem from quality materials fitted to tight tolerances and finished with great care, ensuring years of trouble-free service. Easy to wire, they work with tungsten, fluorescent and resistive loads. Their sturdy construction and dependable performance are everything you'd expect from the preeminent switch maker.



Part# 020371




Part# 020404



Part# 020422



Part# 020301



Part# 020321

## Features and Benefits

- Switch frame shields against dust and fits in wall plate to prevent rocker binding
- Back and side wiring terminals accept both solid and stranded wire to ease installation
- Virtually unbreakable, ultrasonically welded top and back body
- Sturdy construction for long service life
- Tri-combo screws accept slotted-, Phillips, and Robertson-head tools
- Easy-access ground screws



Decorative Switches are offered in the following colors:

	White
	Ivory
	Light Almond
	Black



## Features and Benefits

### Testing Compliance

- UL and cUL Listed
- Comply with UL 20
- Meet NEMA WD-1 & WD-6

### Material Characteristic

- Flammability rating: Rated V-2 per UL 94
- Temperature Rating: -40°C to 60°C
- Meet NEMA WD-1 & WD-6

## Decorative Switches - Residential

	Category	Decorator Wall Switch	Rating	Wiring	Part #	Color
Residential Switches	Decorative Switch	Single Pole Switch	15A, 120-277V	Push Wire & Side Wire	020371 020372 020374 020376	White Ivory Light Almond Black
		3 Way Switch		Push Wire & Side Wire	020401 020402 020404 020406	White Ivory Light Almond Black
		4 Way Switch		Side Wire	020421 020422 020424 020426	White Ivory Light Almond Black

## Decorative Switches - Residential With Light

	Category	Decorator Wall Switch	Rating	Wiring	Part #	Color
Residential Switches With Light	Decorative Switch	Single Pole Switch	15A, 120-277V	Push Wire & Side Wire	020081 020082 020084	White Ivory Light Almond
		3 Way Switch		Push Wire & Side Wire	020321 020322 020324	White Ivory Light Almond

## Decorative Switches - Commercial

	Category	Decorator Wall Switch	Rating	Wiring	Part #	Color
Commercial Switches	Decorative Switch	Single Pole Switch	20A, 120-277V	Back Wire & Side Wire	020281 020282 020284 020286	White Ivory Light Almond Black
		3 Way Switch		Back Wire & Side Wire	020301 020302 020304 020306	White Ivory Light Almond Black



# Toggle Switches

Aida residential grade switches cover all the bases. Their toggles and frames are constructed from impact-resistant thermoplastic, and they feature large head, hardened triple-drive screws for easy installation.



Part# 020011



Part# 020042



Part# 020074



Part# 020021



Part# 020040

## Features and Benefits

- Switch frame shields against dust and fits in wall plate
- Side wire terminations accept both solid and stranded wire to easy installation
- Virtually unbreakable, ultrasonically welded top and backbody
- Sturdy construction for long service life
- Tri-drive screws accept slotted, Phillips, and Robertson-head tools
- Easy-access ground screws

## Testing Compliance

- UL and cUL Listed
- Comply with UL 20
- Meet NEMA WD-1 & WD-6

## Material Characteristic

- Flammability rating: Rated V-2 per UL 94
- Temperature Rating: -40°C to 60°C
- Meet NEMA WD-1 & WD-6

Toggle Switches are offered in the following colors:

	White
	Ivory
	Light Almond
	Black



## Toggle Switches - Residential

Residential Switches	Category	Toggle Switch	Rating	Wiring	Part #	Color
	Toggle Switch	Single Pole Switch	15A, 120V	Push Wire & Side Wire	020011 020012 020014 020016	White Ivory Light Almond Black
		3 Way Switch	15A, 120V	Push Wire & Side Wire	020041 020042 020044 020046	White Ivory Light Almond Black
		4 Way Switch	15A, 120-277V	Side Wire	020071 020072 020074 020076	White Ivory Light Almond Black
Category	Other Switch	Rating	Wiring	Part #	Color	
Other Switch	Feed Through Cord Switch	6A, 120V	Feed Through	120041	Ivory	
	Toggle Switch & Tamper Resistant Receptacle Combination	15A, 125V	Side Wire	020111	White	

## Toggle Switches With Light

Toggle Switches With Light	Category	Toggle Switch	Rating	Wiring	Part #	Color
	Toggle Switch	Single Pole Switch	15A, 120V	Push Wire & Side Wire	020010	Transparent
		3 Way Switch			020040	Transparent

## Toggle Switches - Commercial

Commercial Switches	Category	Toggle Switch	Rating	Wiring	Part #	Color
	Toggle Switch	Single Pole Switch	20A, 120-277V	Back Wire & Side Wire	020021 020022 020024 020026	White Ivory Light Almond Black
		3 Way Switch			020031 020032 020034 020036	White Ivory Light Almond Black



# Combo Switches

Aida combo switches cover all the bases.



Part# 020101



Part# 020181



Part# 020121



Part# 020191



Part# 020411

## Features and Benefits

- Switch frame shields against dust and fits in wall plate
- Side wire terminations accept both solid and stranded wire to easy installation
- Virtually unbreakable, ultrasonically welded top and backbody
- Sturdy construction for long service life
- Tri-drive screws accept slotted, Phillips, and Robertson-head tools
- Easy-access ground screws





## Features and Benefits

### Testing Compliance

- UL and cUL Listed
- Comply with UL 20
- Meet NEMA WD-1 & WD-6

### Material Characteristic

- Flammability rating: Rated V-2 per UL 94
- Temperature Rating: -40°C to 60°C
- Meet NEMA WD-1 & WD-6

## Combo Switches

	Category	Residential Combo Switch	Rating	Wiring	Part #	Color
Combo Switches	Residential Switch	15 Amp Combination Two Single Pole Toggle Switches	15A, 120V	Back Wire & Side Wire	020101	White
		15 Amp Combination Single Pole Toggle Switch & Pilot Light		Back Wire & Side Wire	020181	White
		15 Amp Combination Two Single Pole Decora Switches		Back Wire & Side Wire	020121	White
		15 Amp Combination Single Pole Decora Switch & Pilot Light		Back Wire & Side Wire	020191	White
		15 Amp Combination Three Single Pole Decora Switches		Back Wire & Side Wire	020411	White



# Portable GFCIs

Aida's portable GFCI units provide electrical shock protection for people in all work environments while also protecting tools and equipment from damage.



Part# 010531



Part# 010611



Part# 010631

## Features and Benefits

- These great portable GFCIs offer protection for 2-wire or 3-wire appliances and tools
- In line GFCIs can be added to or replace a GFCI plug on any power tool or equipment with power cord
- The bright "Green" light indicates when the power is "ON"
- Self test every 5 seconds to meet UL latest standards

### Testing Compliance

- NEMA 3R Rainproof tested
- Trip level 4-6 mA
- Rated for indoor and outdoor use
- UL and cUL listed
- The TEST and RESET buttons allow for periodic testing





<b>GFCI Plug, 2-Pole, 3-Wire Grounding, NEMA 5-15, 125V, 60Hz</b>						
Category	Cord Gauge	Cord Length	Power up Type	Part #	Color	
GFCI Plug	SJTW 12/3AWG	2ft	Auto Reset	010511	Yellow Shell Black Button	
	SJTW 12/3AWG	3ft	Manual Reset	010531	Yellow Shell Black Button	
<b>In Line GFCI , 2-Pole, 3-Wire Grounding, NEMA 5-15, 125V, 60Hz</b>						
Category	Cord Gauge	Cord Length	Power up Type	Part #	Color	
In Line GFCI	SJTW 12/3AWG	2ft	Auto Reset	010611	Yellow Shell Black Button	
	SJTW 12/3AWG	2ft	Auto Reset	010612	Yellow Shell Black Button	
	SJTW 14/3AWG	3ft	Manual Reset	010631	Yellow Shell Black Button	

<b>GFCI Adapter Outlet</b>						
Category	Description	Rating	Reset	Part #	Color	
GFCI Outlet	15 Amp Manual GFCI Adapter Outlet	125V, 60 Hz	Manual	010541	Yellow	
	15 Amp Auto GFCI Adapter Outlet	125V, 60 Hz	Auto	010521	Yellow	



Part# 010541




# Lighting Controls

Aida's lighting control deliver high performance and reliability you've come to expect and are the ideal tool to help create the perfect ambiance within a room and help conserve electricity to reduce overall energy costs.



Part# 080031



Part# 080013



Part# 080011



Part# 070011

## WIFI Smart Dimmer Switch

### Features and Benefits

#### Load Capacity

- Incandescent light bulb 600W, CFL300W, LED300W/120V

#### Function Instruction

- High strength tempered glass and ultra clear LCD screen.
- Support WIFI connection for remote control via downloadable mobile APP.
- The smart system remembers your previous settings.
- Power Saving mode after 5 seconds of inactivity. Touch any key to wake up the device.
- Short press M to switch among Mode 1 (adjust by 5%) and Mode 2 (adjust by 25%).
- Long press M to switch to Mode 3 Initial Brightness Setting.
- Mechanical back up switch conform with UL standard.





Part# 080041



Part# 080061

## Lighting Control - Dimmers


	Category	Dimmer	Rating	Load Capacity	Part #	Color
Dimmers	Touch Panel Dimmers	Touch Panel Dimmer with Black Plastic Wall Plate	120V, 60Hz	Incandescent light bulb 600W, CFL300W, LED300W/120V	080021	Black
		Touch Panel Smart Dimmer with WIFI Control & Black Plastic Wall Plate			080031	Black
		Touch Panel Dimmer with White Plastic Wall Plate			080022	White
		Touch Panel Smart Dimmer with WIFI Control & White Plastic Wall Plate			080032	White
	Toggle Switch Dimmer	Digital Toggle Dimmer Switch, Slide Bar, Single Pole/3-Way Combination			080041	White
	Push Switch	Digital Rotary Dimmer Switch, Rotary Dimming, Single Pole/3-Way Combination			080051	White
		Digital Rotary Dimmer Switch, Rotary Dimming with LED Indicating Lamp, Single Pole/3-Way Combination			080091	White
		Rotary Dimmer Switch, Rotary Dimming, Single Pole/3-Way Combination			080061	White
		Rotary Dimmer Switch, Rotary Dimming with LED Indicating Lamp, Single Pole/3-Way Combination		080101	White	



## Rocker Switch Slide Dimmer

### Features and Benefits

- Adjustable initial brightness setting for different type of lights
- Compatible with 99% of light bulbs on the market today
- Tough thermoplastic housing shrugs off impacts and is scratch proof
- Ultra low current harmonic to protect your devices from electromagnetic interference
- Ergonomic design for comfortable and intuitive touch control
- Energy saving & long operating life
- Single Pole/3-Way Combination
- Conforms with UL1472



## Slide Dimmer

### Features and Benefits

#### Load Capacity


- Incandescent light bulb 600W, CFL 150W, LED 150W/120V

#### Function Instruction

- 270° precise adjustment of initial brightness.
- Power switch sits flushed and leveled with the surface when switch is off.
- Haptic feedback at 50% brightness.
- Replaceable top cover for multiple color choices. Snaps in/out for simple replacement.
- Single Pole/3-Way Combination

## Lighting Control

	Category	Dimmer	Rating	Load Capacity	Part #	Color
Dimmers	Rocker Dimmer	Rocker Dimmer with 3 Replaceable Top Covers Single Pole/3-Way Combination	125V, 60Hz	Incandescent light bulb 600W, CFL300W, LED300W/120V.	080013	White, Ivory, Light Almond
	Slide Dimmer	Slide Dimmer with 3 Replaceable Top Covers Single Pole/3-Way Combination	120V, 60Hz	Incandescent light bulb 600W, CFL150W, LED150W/120V.	080011	White, Ivory, Light Almond



### Sensor Switch

#### Features and Benefits

##### Load Capacity

- Incandescent light bulb 600W, CFL300W, LED300W

##### Function Instruction

- Low Noise and High Sensitivity
- Automatic ON or Manual ON is optional
- Automatic Off
- 180° coverage of up to 900 sq. ft.
- Adjustable sensitivity from 20% to 100%
- Adjustable time delay from 30 seconds to 30 minutes
- Pet immunity (reduce false triggers)
- Detect ambient light to adjust light's brightness
- Replaceable top cover for multiple color choices. Snaps in/out for simple replacement.



### Lighting Control

	Category	Dimmer	Rating	Load Capacity	Part #	Color
Sensors	Sensor	Occupancy Sensor with 3 Replaceable Top Covers	120/277V, 60Hz	Incandescent light bulb 600W, CFL300W, LED300W	070011	White, Ivory, Light Almond
		Vacancy Sensor with 3 Replaceable Top Covers			070021	White, Ivory, Light Almond



# Lampholders, Plugs & Adapters

Aida offers a full line of grounded and ungrounded outlet adapters and lamp holders. All manufactured from high-impact resistant thermoplastics for durability and long-term performance. Each complies with relevant UL1449 requirements.

Adapters						
	Image	Description	NEMA	Rating	Part #	Color
Adapters		15 Amp 2-Wire Single to Single Outlet Grounding Gray Adapter, 2 in pack	1-15P & 5-15R	15A, 125V	120031	Gray
		15 Amp 3-Wire Single to Six Outlet Grounding White Adapter	5-15P & 5-15R	15A, 125V	120032	White
		15 Amp 3-Wire Single to Triple Outlet Grounding White Adapter	5-15P & 5-15R	15A, 125V	120033	White
		15 Amp 2-Wire Single to Triple Outlet White Adapter	1-15P & 1-15R	15A, 125V	120034	White
		15 Amp 3-Wire Single to Triple Outlet Grounding Ivory Adapter	1-15P & 5-15R	15A, 125V	120035	Ivory
		15 Amp 3-Wire Single to Triple Outlet Grounding Orange Adapter	5-15P & 5-15R	15A, 125V	120036	Orange
		15-Amp 3-Wire Single to Triple Outlet Grounding Orange Adapter	5-15P & 5-15R	15A, 125V	120037	Orange

## Available In **10**-Pack

Plug and Connector						
	Image	Description	NEMA	Rating	Part #	Color
Plug and Connector		3 - Prong Straight Blade Plug	5-15P 	15A, 125V	052660	Yellow
		3 - Wire Straight Blade Connector	5-15R 	15A, 125V	052690	Yellow





## Lampholders

	Image	Description	Rating	Part #	Color
Lampholders		Light Socket	600V, 660W	120011	Black
		Plug-in Socket Adapter	125V, 660W	120012	Ivory
		Keyless Socket Adapter	125V, 660W	120021	Ivory
		Socket Adapter with Pull Chain	125V, 660W	120022	Ivory
		Socket Adapter with Pull Chain	125V, 660W	120023	Black
		Dual Socket Adapter	250V, 660W	120024	Ivory
		Socket Adapter	125V, 660W	120025	Black
		Turn-Knob Socket Lamp Holder	250V, 250W	120015	Golden
		Push-Button Socket Lamp Holder	250V, 660W	120014	Golden
		3-Way Socket Lamp Holder	250V, 250W	120013	Golden
		Pull-Chain Socket Lamp Holder	250V, 660W	120016	Golden
		Plastic Lampholder	250V, 660W	120045	White
		Plastic Pull Chain Lampholder	250V, 660W	120046	White
		Plastic Pull Chain Lampholder with Socket	125V, 15A, 660W	120047	White





# Wire Connectors

Aida offers a full line Screw-On, Winged Wire and Push-In Connectors. The products are made with tough thermoplastic.



## Screw-on Wire Nuts - BOX

	Packaging	Part #	Color
BOX	100	120053	Gray
	100	120054	Blue
	100	120056	Orange
	100	120058	Yellow

## Wire Nuts - BAG

BAG	500	120055	Orange
	500	120057	Yellow
	500	120060	Red

## Wire Nuts - JAR

JAR	200	120059	Yellow
-----	-----	--------	--------

## Winged Wire Nuts - BOX

	Packaging	Part #	Color
BOX	50	120066	Blue
	100	120065	Red
	100	120064	Tan
	100	120062	Yellow

## Wing Wire Nuts - BAG

BAG	500	120063	Tan
	500	120061	Yellow
	500	120067	Green
	500	120082	Red

## Wing Wire Nuts - JAR


JAR	150	120068	Green
-----	-----	--------	-------





### Push-In Wire Connectors- BOX

BOX	Packaging	Part #	Color
	100	120070	Yellow
	100	120072	Orange
	75	120074	Clear
	50	120076	Blue
	50	120078	Purple
	40	120080	Black



### Screw-on Wire Nuts

#### Features and Benefits

- Tough thermoplastic, UL 94V-2 flame-retardant shell rated at 105°C (221° F).
- Zinc-plated square wire spring ensures a firm grip on conductors.
- Specific dented design offers better grip and comfort to ensure better torquing.
- Color-coded to industry standards for quick size identification.
- Rated to 600V max. for building wiring and 1000V max. in lighting fixtures/luminaries and signs.
- UL 486C Listed and CSA C22.2 No. 188

### Winged Wire Connectors

#### Features and Benefits

- Tough thermoplastic, UL 94V-2 flame-retardant shell rated at 105°C (221° F).
- Zinc-plated square wire spring ensures a firm grip on conductors.
- Swept-back wing design provides finger-tip comfort and increases torquing power.
- Color-coded to industry standards for quick size identification.
- Rated to 600V max. for building wiring and 1000V max. in lighting fixtures/luminaries and signs.
- UL 486C Listed and CSA C22.2 No. 188 Certified.

### Push-In Wire Connectors

#### Features and Benefits

- Polycarbonate, UL 94V-0 flame-retardant shell, rated at T85 (IEC), 105°C/221°F (UL).
- Spring force connector constructed from tinned copper plate and stainless spring steel.
- Double springs construction ensure secure and good electrical conductivity.
- Color-coded clear shell offers visual verification of connection.
- Rated to 600V max. for building wiring and 1000V max. in lighting fixtures/luminaries and signs.
- Recommend reusing with a wire at least one size larger than the wire previously removed.
- IEC/EN 60998 Certified and UL 486C Listed.



# Power Devices

Built from durable thermoplastic, Aida power devices are available: in flush mount and surface mount versions, come equipped with heavy-gauge, double-wire copper alloy contacts. To ensure correct and speedy wiring, terminals have ID markings. Flush mount receptacles fit Aida range of wall plates and mounting screws is included. Angle plugs are made of tough, heavy-duty nylon for a long dependable service life.



Part# 030606



Part# 030656



Part# 030676



Part# 030736



Part# 030766

## Features and Benefits

- Heavy-gauge, double-wipe copper alloy contacts
- Easy-to-wire terminals accept up to #4 AWG conductors
- Terminals marked for easy identification and fast wiring
- All mounting hardware included
- Flush-mount devices fit single or two-gang outlet boxes
- Surface-mount devices are commercial grade and have concentric knockouts for 3/4" and 1" conduit and adjustable cord clamp for back and bottom entrance of cable

### Angle Plugs

- Made of tough, heavy-duty nylon for long service life
- Devices feature heavy-sectioned dead-front right-angle
- Pressure-clamp terminal design
- Terminals accept up to #4 AWG stranded conductors
- Four-way positioning front module
- Solid brass blades for maximum conductivity



**Power Outlets**

Category	Flush Mount Power Outlet	NEMA	Rating	Part #	Wiring Type
Flush Mount Receptacle	30 Amp Flush Mount Power Outlet	6-30R 	30A, 250V	030606	2-Pole, 3-Wire
	50 Amp Flush Mount Power Outlet	6-50R 	50A, 250V	030616	2-Pole, 3-Wire
	30 Amp Flush Mount Dryer Outlet	10-30R 	30A, 125V/ 250V	030626	3-Pole, 3-Wire
	50 Amp Flush Mount Range Outlet	10-50R 	50A, 125V / 250V	030636	3-Pole, 3-Wire
	30 Amp Flush Mount Dryer Outlet - White	14-30R 	30A, 125V/ 250V	030646	3-Pole, 4-Wire
	50 Amp Flush Mount Range Outlet - White	14-50R 	50A, 125V/ 250V	030656	3-Pole, 4-Wire
	30 Amp Flush Mount Travel Trailer Outlet	TT-30R 	30A, 125V	030666	2-Pole, 3-Wire

Category	Surface Mount Power Outlet	NEMA	Rating	Part #	Wiring Type
Surface Mount Receptacle	30 Amp Grounding Surface Mount Power Outlet	6-30R 	30A, 250V	030676	2-Pole, 3-Wire
	50 Amp Grounding Surface Mount Power Outlet	6-50R 	50A, 250V	030686	2-Pole, 3-Wire
	30 Amp Surface Mount Power Outlet	10-30R 	30A, 125V/250V	030696	3-Pole, 3-Wire
	50 Amp Surface Mount Power Outlet	10-50R 	50A, 125V/250V	030706	3-Pole, 3-Wire
	30 Amp Grounding Surface Mount Power Outlet	14-30R 	30A, 125V/250V	030716	3-Pole, 4-Wire
	50 Amp Grounding Surface Mount Power Outlet	14-50R 	50A, 125V/250V	030726	3-Pole, 4-Wire

**Power Plugs**

Category	Angle Plug	NEMA	Rating	Part #	Wiring Type
Angle Plug	30/50 Amp 3-Prong Plug	6-30P & 6-50P 	30A/50A, 250V	030736	2-Pole, 3-Wire
	30/50 Amp 3-Prong Plug	10-30P & 10-50P 	30A/50A, 125V/250V	030746	3-Pole, 3-Wire
	30/50 Amp 4-Prong Plug	14-30P & 14-50P 	30A/50A, 125/250V	030756	3-Pole, 4-Wire
	30/50 Amp Power Outlet Angle Plug	7-30P & 7-50P 	30A/50A, 277V	030786	2-Pole, 3-Wire
	30/50 Amp Power Outlet Angle Plug	24-30P & 24-50P 	30A/50A, 347V	030796	2-Pole, 3-Wire
	30 Amp Power Outlet Angle Plug	15-30P 	30A, 250V	030806	3-Pole, 4-Wire
	50 Amp Power Outlet Angle Plug	15-50P 	50A, 250V	030816	3-Pole, 4-Wire
	60 Amp Power Outlet Angle Plug	15-60P 	60A, 250V	030826	3-Pole, 4-Wire
	60 Amp Power Outlet Angle Plug	14-60P 	60A, 125/250V	030836	3-Pole, 4-Wire
	30 Amp Power Outlet Angle Plug	18-30P 	30A, 120/208V	030846	4-Pole, 4-Wire
	50 Amp Power Outlet Angle Plug	18-50P 	50A, 120/208V	030856	4-Pole, 4-Wire
	60 Amp Power Outlet Angle Plug	18-60P 	60A, 120/208V	030866	4-Pole, 4-Wire

Category	Travel Trailer Plug	NEMA	Rating	Part #	Wiring Type
Travel Trailer Plug	30 Amp Travel Trailer Plug	TT-30P 	30A, 125V	030766	2-Pole, 3-Wire
	30 Amp Travel Trailer Plug	TT-30P 	30A, 120V	030776	2-Pole, 3-Wire



# Locking Devices

Aida's locking devices are built to provide unparalleled quality and superior performance in the most severe industrial settings. Aida device combines the best materials available with superior production standards to produce a broad selection of locking devices of unmatched flexibility and dependability.



Part# 040056



Part# 040146



Part# 040556



Part# 040586

## Features and Benefits

- Super tough nylon body resists damage from severe impact, abrasion and chemicals
- Ergonomic, fluted body design with radial grip ridge is ideal for gripping, turning and pulling
- Back wire terminal clamps for easy secure wiring
- One-piece, rivet-less 0.035" thick brass connector contacts and solid brass plug blades provide maximum conductivity and long service life





Locking Devices

Locking Plugs					
Category	Locking Plug	NEMA	Rating	Part #	Wiring Type
Locking Plugs	20 Amp Locking Plug	L5-20P 	20A, 125V	040156	2-Pole, 3-Wire
	30 Amp Locking Plug	L5-30P 	30A, 125V	040056	2-Pole, 3-Wire
	20 Amp Locking Plug	L6-20P 	20A, 250V	040166	2-Pole, 3-Wire
	30 Amp Locking Plug	L6-30P 	30A, 250V	040116	2-Pole, 3-Wire
	20 Amp Locking Plug	L14-20P 	20A, 125V/250V	040136	3-Pole, 4-Wire
	30 Amp Locking Plug	L14-30P 	30A, 125V/250V	040196	3-Pole, 4-Wire
Locking Connectors					
Category	Locking Connector	NEMA	Rating	Part #	Wiring Type
Locking Connectors	20 Amp Locking Connector	L14-20R 	20A, 125/250V	040146	3-Pole, 4-Wire
	30 Amp Locking Connector	L14-30R 	30A, 125V/250V	040206	3-Pole, 4-Wire
	20 Amp Locking Connector	L5-20R 	20A, 125V	040046	2-Pole, 3-Wire
	30 Amp Locking Connector	L5-30R 	30A, 125V	040066	2-Pole, 3-Wire
	20 Amp Locking Connector	L6-20R 	20A, 250V	040106	2-Pole, 3-Wire
	30 Amp Locking Connector	L6-30R 	30A, 250V	040126	2-Pole, 3-Wire
Locking Receptacles					
Category	Locking Receptacle	NEMA	Rating	Part #	Wiring Type
Locking Receptacles	20 Amp Locking Receptacle	L5-20R 	20A, 125V	040596	2-Pole, 3-Wire
	30 Amp Locking Receptacle	L5-30R 	30A, 125V	040546	2-Pole, 3-Wire
	20 Amp Locking Receptacle	L6-20R 	20A, 250V	040576	2-Pole, 3-Wire
	30 Amp Locking Receptacle	L6-30R 	30A, 250V	040556	2-Pole, 3-Wire
	20 Amp Locking Receptacle	L14-20R 	20A, 125V/250V	040566	3-Pole, 4-Wire
	30 Amp Locking Receptacle	L14-30R 	30A, 125V/250V	040586	3-Pole, 4-Wire




# Wall Plates

## Nice looking, fast installing and long-lasting.

Aida's wall plates are created from thermoplastic, thermoset plastic, metal and stainless steel. Quality is the "ingredient" common to them all. Their super heavy-duty construction provides outstanding performance in a wide range of applications.


We offer wall plates of different sizes, which are designed and manufactured according to Underwriters' Laboratories Standard 514. The dimensional characteristics are designed with high specificity, both for performance needs and for compatibility with devices and outlet boxes.




Part# 051111



Part# 055121



Part# 053211



Part# 053731

### Features and Benefits

#### Thermoplastic and thermoset wall plates

- Smooth finish for easy cleaning and attractive appearance
- High quality wall plates meet or exceed all industry standards
- Captive mounting screws to save installation time
- Thermoplastic wall plates are virtually unbreakable, with high structural rigidity, longterm form retention, and superior impact and abrasion resistance

#### 304 Stainless Steel wall plates

- Superior non-corrosive and nonmagnetic properties for applications needing protection from those elements
- Smooth face and rounded edges resist dust accumulation
- Stamped from 0.032" (0.81mm) thick material
- Matching stainless steel mounting screws provided

#### Testing Compliance

- UL 514D and cUL Listed for Thermoplastic and Thermosetting Wall Plate
- ETL and CETL Listed for Stainless Steel and Metal Wall Plate
- Meets all UL514 requirements, Meets all CSA requirement
- Meets all ETL and CTEL requirements, Meets all CSA requirement

Wall plates are offered in the following colors:

	White
	Ivory
	Light Almond
	Stainless Steel





Plastic Wall Plate

Thermoplastic Toggle Switch Wall Plate, Standard				
Category	Size	Part #	Color	
1 Gang Plastic Toggle Switch Wall Plate	Standard	051111	White	
		051112	Ivory	
		051114	Light Almond	
		051116	Black	
2 Gang Plastic Toggle Switch Wall Plate		051121	White	
		051122	Ivory	
		051124	Light Almond	
		051126	Black	
3 Gang Plastic Toggle Switch Wall Plate		051131	White	
		051132	Ivory	
		051134	Light Almond	
		051136	Black	
4 Gang Plastic Toggle Switch Wall Plate		051141	White	
		051142	Ivory	
		051143	Light Almond	
Thermoplastic Duplex Receptacle Wall Plate, Standard				
Category	Size	Part #	Color	
1 Gang Plastic Duplex Receptacle Wall Plate	Standard	051211	White	
		051212	Ivory	
		051214	Light Almond	
		051216	Black	
2 Gang Plastic Duplex Receptacle Wall Plate		051221	White	
		051222	Ivory	
		051224	Light Almond	
		051226	Black	
Thermoplastic Decorative Wall Plate, Standard				
Category		Size	Part #	Color
1 Gang Plastic Decorative Wall Plate		Standard	051311	Ivory
			051312	White
	051314		Light Almond	
	051316		Black	
2 Gang Plastic Decorative Wall Plate	051321		White	
	051322		Ivory	
	051324		Light Almond	
	051326		Black	
3 Gang Plastic Decorative Wall Plate	051331		White	
	051332		Ivory	
	051334		Light Almond	
	051336		Black	
Thermoplastic Blank Wall Plate, Standard				
Category	Size	Part #	Color	
1 Gang Plastic Blank Wall Plate	Standard	051411	White	
		051412	Ivory	
		051414	Light Almond	
		051416	Black	
2 Gang Plastic Blank Wall Plate		051421	White	
		051422	Ivory	
		051424	Light Almond	
		051426	Black	
Thermoplastic Combination Wall Plate, Standard				
Category		Size	Part #	Color
2 Gang Plastic 1 Toggle Switch & 1 Duplex Receptacle Combination Wall Plate		Standard	051711	White
			051712	Ivory
	051714		Light Almond	
	051716		Black	
2 Gang Plastic 1 Toggle Switch & 1 Decorative Combination Wall Plate	051811		White	
	051812		Ivory	
	051814		Light Almond	
	051816		Black	
2 Gang Plastic 1 Duplex Receptacle & 1 Decorative Combination Wall Plate	051911		White	
	051912		Ivory	
	051914		Light Almond	
	051916		Black	



<b>Thermoset Plastic Toggle Switch Wall Plate, Standard</b>						
Category	Size	Part #	Color			
1-Gang Toggle Switch Wall Plate	Standard	052111	White			
		052112	Ivory			
		052114	Light Almond			
		052116	Black			
2-Gang Toggle Switch Wall Plate		052121	White			
		052122	Ivory			
		052124	Light Almond			
		052126	Black			
3-Gang Toggle Switch Wall Plate		052131	White			
		052132	Ivory			
		052134	Light Almond			
		052136	Black			
<b>Thermoset Duplex Receptacle Wall Plate, Standard</b>						
Category	Size	Part #	Color			
1-Gang Duplex Receptacle Wall Plate	Standard	052211	White			
		052212	Ivory			
		052214	Light Almond			
		052216	Black			
<b>Thermoset Decorator Receptacle Wall Plate, Standard</b>						
Category		Size	Part #	Color		
1-Gang Decorator Receptacle Wall Plate		Standard	052311	White		
			052312	Ivory		
			052314	Light Almond		
			052316	Black		
2-Gang Decorator Receptacle Wall Plate			052321	White		
			052322	Ivory		
	052324		Light Almond			
	052326		Black			
3-Gang Decorator Receptacle Wall Plate	052331		White			
	052332		Ivory			
	052334		Light Almond			
	052336		Black			
<b>Thermoset Toggle Switch &amp; Duplex Receptacle Combination Wall Plate, Standard</b>						
Category	Size	Part #	Color			
2-Gang Toggle Switch & Duplex Receptacle Combination Wall Plate	Standard	052711	White			
		052712	Ivory			
		052714	Light Almond			
		052716	Black			
<b>Thermoset Toggle Switch &amp; Decorative Receptacle Combination Wall Plate, Standard</b>						
Category		Size	Part #	Color		
2-Gang Toggle Switch & Decorative Receptacle Combination Wall Plate		Standard	052811	White		
			052812	Ivory		
			052814	Light Almond		
			052816	Black		
<b>Receptacle Wall Plate, Standard</b>						
Category			Size	Part #	Color	
1-Gang Plastic Single Receptacle Wall Plate	Standard		052821	White		
			052822	Ivory		
			052824	Light Almond		



Screwless Plate, Decorative Outlet ,Standard				
Screwless Wall Plate	Category	Size	Part #	Color
	1-Gang Plastic Decorative Wall Plate (Straighted Type)		Standard	051341 051342 051344 051346

Screwless Plate Decorative Outlet, Midsize				
Screwless Wall Plate	Category	Size	Part #	Color
	1-Gang Plastic Decorative Wall Plate (Straighted Type)	Midsize	051461 051462 051464 051466	White Ivory Light Almond Black
	2 Gang Plastic Decorative Wall Plate (Straighted Type)		051471 051472 051474 051476	White Ivory Light Almond Black
	3 Gang Plastic Decorative Wall Plate (Straighted Type)		051481 051482 051484 051486	White Ivory Light Almond Black
	4 Gang Plastic Decorative Wall Plate (Straighted Type)		051491 051492 051494 051496	White Ivory Light Almond Black





<b>Toggle Plastic Wall Plate, Midsize</b>					
Plastic Wall Plate	Category	Size	Part #	Color	
	1-Gang Midsize Toggle Switch Plastic Wall Plate	Midsize		051151	White
				051152	Ivory
	051153			Light Almond	
051154	Black				
2-Gang Midsize Toggle Switch Plastic Wall Plate	051161	White			
	051162	Ivory			
	051163	Light Almond			
3-Gang Midsize Toggle Switch Plastic Wall Plate	051164	Black			
	051171	White			
	051172	Ivory			
	051173	Light Almond			
051174	Black				
<b>Toggle Plastic Wall Plate, Jumbo</b>					
Category	Size	Part #	Color		
1-Gang Jumbo Size Toggle Switch Plastic Wall Plate	Jumbo		051181	White	
			051182	Ivory	
			051183	Light Almond	
<b>Toggle Plastic Wall Plate, Jumbo</b>					
Category	Size	Part #	Color		
2-Gang Jumbo Size Toggle Switch Plastic Wall Plate	Jumbo		051191	White	
			051192	Ivory	
			051193	Light Almond	
<b>Plastic Wall Plate, Midsize</b>					
Category	Size	Part #	Color		
2-Gang Midsize 1 Toggle Switch & 1 Duplex Receptacle Combination Plastic Wall Plate	Midsize		051721	White	
			051722	Ivory	
			051723	Light Almond	
<b>Plastic Wall Plate, Jumbo</b>					
Category	Size	Part #	Color		
1-Gang Jumbo Size Single Receptacle Plastic Wall Plate	Jumbo		051731	White	
			051732	Ivory	
			051733	Light Almond	
<b>Plastic Wall Plate, Midsize</b>					
Category	Size	Part #	Color		
2-Gang Midsize Power Outlet Plastic Wall Plate	Midsize		051741	White	
			051742	Ivory	
			051743	Light Almond	
<b>Plastic Wall Plate, Midsize</b>					
Category	Size	Part #	Color		
2 Gang Midsize 1 Toggle Switch & 1 Decorative Combination Plastic Wall Plate	Midsize		051821	White	
			051822	Ivory	
			051823	Light Almond	
<b>Plastic Wall Plate, Midsize</b>					
Category	Size	Part #	Color		
1 Gang Midsize Duplex Receptacle Plastic Wall Plate	Midsize		051251	White	
			051252	Ivory	
			051253	Light Almond	
			051254	Black	
2-Gang Midsize Duplex Receptacle Plastic Wall Plate			051261	White	
			051262	Ivory	
			051263	Light Almond	
			051264	Black	
<b>Plastic Wall Plate, Jumbo</b>					
Category	Size	Part #	Color		
1 Gang Jumbo Size Duplex Receptacle Plastic Wall Plate	Jumbo		051281	White	
			051282	Ivory	
			051283	Light Almond	
			051284	Black	



Plastic Wall Plate, Standard				
Plastic Decorative Wall Plate	Category	Size	Part #	Color
	4 Gang Standard Decorative Plastic Wall Plate		Standard	051751 051752 051753

Plastic Wall Plate, Decorative, Midsize				
Plastic Decorative Wall Plate	Category	Size	Part #	Color
	1 Gang Midsize Decorative Plastic Wall Plate	Midsize	051361 051362 051363 051364	White Ivory Light Almond Black
	2 Gang Midsize Decorative Plastic Wall Plate		051371 051372 051373 051374	White Ivory Light Almond Black
	3 Gang Midsize Decorative Plastic Wall Plate		051381 051382 051383	White Ivory Light Almond
Plastic Wall Plate, Decorative, Jumbo				
Plastic Decorative Wall Plate	Category	Size	Part #	Color
	1 Gang Jumbo Decorative Plastic Wall Plate	Jumbo	051391 051392 051393	White Ivory Light Almond
	2 Gang Jumbo Decorative Plastic Wall Plate		051401 051402 051403	White Ivory Light Almond

Plastic Wall Plate, Blank, Midsize				
Plastic Blank Wall Plate	Category	Size	Part #	Color
	1 Gang Midsize Blank Plastic Wall Plate	Midsize	051431 051432 051433 051434	White Ivory Light Almond Black
	2 Gang Midsize Blank Plastic Wall Plate		051441 051442 051443	White Ivory Light Almond

Plastic Wall Plate, Blank, Jumbo				
Plastic Blank Wall Plate	Category	Size	Part #	Color
	1 Gang Jumbo Blank Plastic Wall Plate		Jumbo	051451 051452 051453




<b>Metal Wall Plate, Standard</b>					
Category	Size	Finish	Part #	Color	
1-Gang STD Wrinkle Metal Toggle Switch Wall Plate	Standard	Wrinkle	053112	Ivory	
2-Gang STD Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053142	Ivory	
3-Gang STD Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053172	Ivory	
1-Gang STD Smooth Metal Toggle Switch Wall Plate		Smooth	053111	White	
2-Gang STD Smooth Metal Toggle Switch Wall Plate		Smooth	053141	White	
3-Gang STD Smooth Metal Toggle Switch Wall Plate		Smooth	053171	White	
1-Gang STD Smooth Metal Single Receptacle Wall Plate		Smooth	053511	White	
1-Gang STD Wrinkle Metal Duplex Receptacle Wall Plate		Wrinkle	053212	Ivory	
1-Gang STD Smooth Metal Duplex Receptacle Wall Plate		Smooth	053211	White	
2-Gang STD Smooth Metal Duplex Receptacle Wall Plate		Smooth	053241	White	
1-Gang STD Smooth Metal Decorator Devices Wall Plate		Smooth	053311	White	
2-Gang STD Smooth Metal Decorator Devices Wall Plate		Smooth	053341	White	
1-Gang STD Smooth Metal Blank Wall Plate		Smooth	053411	White	
2-Gang STD Smooth Metal Toggle Switch & Blank Wall Plate		Smooth	053011	White	
2-Gang STD Smooth Metal Toggle Switch & Duplex Receptacle Wall Plate		Smooth	053711	White	
2-Gang STD Wrinkle Metal Toggle Switch & Duplex Receptacle Wall Plate		Wrinkle	053712	Ivory	
<b>Metal Wall Plate, Midsize</b>					
Category	Size	Finish	Part #	Color	
1-Gang MID Smooth Metal Toggle Switch Wall Plate	Midsize	Smooth	053121	White	
1-Gang MID Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053122	Ivory	
1-Gang MID Smooth Metal Toggle Switch Wall Plate		Smooth	053151	White	
2-Gang MID Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053152	Ivory	
2-Gang MID Smooth Metal Single Receptacle Wall Plate		Smooth	053521	White	
1-Gang MID Wrinkle Metal Single Receptacle Wall Plate		Wrinkle	053222	Ivory	
1-Gang MID Smooth Metal Duplex Receptacle Wall Plate		Smooth	053221	White	
1-Gang MID Smooth Metal Decorator Devices Wall Plate		Smooth	053321	White	
1-Gang MID Smooth Metal Blank Wall Plate		Smooth	053421	White	
1-Gang MID Wrinkle Metal Blank Wall Plate		Wrinkle	053422	Ivory	
2-Gang MID Smooth Metal Single Switch & Duplex Receptacle Wall Plate		Smooth	053721	White	
2-Gang MID Wrinkle Metal Single Switch & Duplex Receptacle Wall Plate		Wrinkle	053722	Ivory	
1 Gang MID Duplex Receptacle Brushed Nickel Metal Wall Plate		Smooth	057210	Brushed Nickel	
1 Gang MID Duplex Receptacle White Smooth Metal Wall Plate		Smooth	057211	White Smooth	
1 Gang MID Duplex Receptacle Brushed Brass Metal Wall Plate		Smooth	057213	Brushed Brass	
1 Gang MID Duplex Receptacle Polished Brass Metal Wall Plate		Smooth	057215	Polished Brass	
1 Gang MID Duplex Receptacle Matte Black Metal Wall Plate	Smooth	057216	Matte Black		

Metal Wall Plate




Metal Wall Plate, Jumbo					
Metal Wall Plate	Category	Size	Finish	Part #	Color
	1-Gang Jumbo Smooth Metal Toggle Switch Wall Plate	Jumbo	Smooth	053131	White
	1-Gang Jumbo Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053132	Ivory
	2-Gang Jumbo Smooth Metal Toggle Switch Wall Plate		Smooth	053161	White
	2-Gang Jumbo Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053162	Ivory
	3-Gang Jumbo Smooth Metal Toggle Switch Wall Plate		Smooth	053191	White
	3-Gang Jumbo Wrinkle Metal Toggle Switch Wall Plate		Wrinkle	053192	Ivory
	1-Gang Jumbo Smooth Metal Single Receptacle Wall Plate		Smooth	053532	Ivory
	1-Gang Jumbo Smooth Metal Phone Wall Plate		Smooth	053541	White
	1-Gang Jumbo Smooth Metal Phone Wall Plate		Smooth	053542	Ivory
	1-Gang Jumbo Smooth Metal Duplex Receptacle Wall Plate		Smooth	053231	White
	1-Gang Jumbo Wrinkle Metal Duplex Receptacle Wall Plate		Wrinkle	053232	Ivory
	1-Gang Jumbo Smooth Metal Decorator Devices Wall Plate		Smooth	053322	White
	1-Gang Jumbo Smooth Metal Decorator Devices Wall Plate		Smooth	053331	Ivory
	1-Gang Jumbo Smooth Metal Blank Wall Plate		Smooth	053431	White
	1-Gang Jumbo Smooth Metal Blank Wall Plate		Smooth	053433	Ivory
	2-Gang Jumbo Smooth Metal Single Switch & Duplex Receptacle Wall Plate		Smooth	053731	White
3-Gang Jumbo Smooth Metal Single Switch & Duplex Receptacle Wall Plate	Smooth		053742	Ivory	





Stainless Steel Wall Plate, Standard			
Stainless Steel Wall Plate	Category	Size	Part #
	1-Gang Stainless Steel Toggle Switch Wall Plate	Standard	055111
	2-Gang Stainless Steel Toggle Switch Wall Plate		055121
	1-Gang Stainless Steel Duplex Receptacle Wall Plate		055221
	2-Gang Stainless Steel Duplex Receptacle Wall Plate		055231
	1-Gang Stainless Steel Decorator devices Wall Plate		055311
	2-Gang Stainless Steel Decorator devices Wall Plate		055321
	1-Gang Stainless Steel Blank Wall Plate		055411
	2-Gang Stainless Steel Blank Wall Plate		055421
	1-Gang Stainless Steel Single Receptacle Wall Plate		055511
	1-Gang Stainless Steel Single Receptacle Wall Plate, 1.5938" hole		055610
	1-Gang Stainless Steel Single Receptacle Wall Plate		055650
	2-Gang Stainless Steel Single Receptacle Wall Plate, 2.156" hole		055671
	2-Gang Stainless Steel Combination Wall Plate		055711
	2-Gang Stainless Steel Combination Wall Plate		055811
	2-Gang Single Receptacle Stainless Steel Wall Plate		055660
	3-Gang Toggle Switch Stainless Steel Wall Plate		055131
	3-Gang Duplex Receptacle Stainless Steel Wall Plate		055211
	3-Gang Decorator Receptacle Stainless Steel Wall Plate		055331
	3-Gang Blank Stainless Steel Wall Plate		055431
	3-Gang Stainless Steel Combination Wall Plate		055821
	2-Gang Stainless Steel Combination Wall Plate		055818
	3-Gang Stainless Steel Combination Wall Plate		055712
	2-Gang Stainless Steel Combination Wall Plate		055911
	2-Gang Single Device Stainless Steel Wall Plate		055521
	2-Gang Single Receptacle Stainless Steel Wall Plate		055672
	1-Gang Stainless Steel Phone Wall Plate		055171







9855 Mining Drive, Suite 202  
Jacksonville, FL 32257  
Phone: (904) 404-8977  
Toll Free: (844) 808-4435  
Fax: (904) 800-1494

AW/02/2022

